

Los Angeles, CA  
2080 Century Park East  
Suite 710  
Los Angeles, CA 90067

# Risankizumab-rzaa (Skyrizi)

## Provider Order Form

Date: \_\_\_\_\_

### PATIENT INFORMATION

|                                          |                     |                                                            |
|------------------------------------------|---------------------|------------------------------------------------------------|
| Name:                                    | DOB:                | SEX: M <input type="checkbox"/> F <input type="checkbox"/> |
| ICD-10 code (required):                  | ICD-10 description: |                                                            |
| <input type="checkbox"/> NKDA Allergies: | Weight lbs/kg:      |                                                            |

### REFERRAL STATUS

☐ New Referral ☐ Referral Renewal ☐ Medication/Order Change ☐ Benefits Verification Only ☐ Discontinuation Order

### PHYSICIAN INFORMATION

|                            |                             |
|----------------------------|-----------------------------|
| Referral Coordinator Name: | Referral Coordinator Email: |
| Ordering Provider:         | Provider NPI:               |
| Referring Practice Name:   | Phone: Fax:                 |
| Practice Address:          | City: State: Zip Code:      |

### LABORATORY ORDERS

- ☐ CBC ☐ at each dose ☐ every \_\_\_\_\_  
☐ CMP ☐ at each dose ☐ every \_\_\_\_\_  
☐ Hepatic Function Panel ☐ at each dose ☐ every \_\_\_\_\_  
☐ Other: \_\_\_\_\_

### PRE-MEDICATION ORDERS

- ☐ acetaminophen (Tylenol) ☐ 500mg / ☐ 650mg / ☐ 1000mg PO  
☐ cetirizine (Zyrtec) 10mg PO  
☐ loratadine (Claritin) 10mg PO  
☐ diphenhydramine (Benadryl) ☐ 25mg / ☐ 50mg ☐ PO / ☐ IV  
☐ methylprednisolone (Solu-Medrol) ☐ 40mg / ☐ 125mg IV  
☐ hydrocortisone (Solu-Cortef) ☐ 100mg IV  
☐ Other: \_\_\_\_\_  
Dose: \_\_\_\_\_ Route: \_\_\_\_\_  
Frequency: \_\_\_\_\_

### SPECIAL INSTRUCTIONS

### THERAPY ADMINISTRATION

- ☐ **Risankizumab-rzaa (Skyrizi) Induction IV dose**  
▪ Dose: 600mg  
▪ Frequency: week 0, week 4, and week 8  
▪ Route: Intravenous  
▪ Infuse over 60 minutes  
☒ Flush with 0.9% sodium chloride at the completion of infusion  
☐ Other \_\_\_\_\_
- ☐ Patient required to stay for 30-min observation post procedure  
☐ Patient is NOT required to stay for observation time  
☐ Refills: ☐ Zero / ☐ for 12 months / ☐ \_\_\_\_\_  
(if not indicated order will expire one year from date signed)
- Total Doses:**  
☐ Year \_\_\_\_\_  
☐ Other \_\_\_\_\_

### NOTES/ADDITIONAL COMMENTS:

### ORDERING PROVIDER

Signature X Date \_\_\_\_\_

Provider \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_