

- Borough Park**
1428 36th Street
Suite 107
Brooklyn, NY 11218
- Crown Heights**
555 Lefferts Avenue
Brooklyn, NY 11225
- Manhattan**
57W 57Street
Suite 601
New York, NY 10019
- Manhasset**
333 East Shore Road
Suite 201
Manhasset, NY 11030
- Rockville Centre**
165 North Village Avenue
Suite 133
Rockville Center, NY 11570
- Elmsford/ Terrytown**
555 Taxter Road
3rd Floor
Elmsford, NY 10523
- NYC Central Park West**
115 Central Park West
Suite 15
New York, NY 10023
- Woodbury**
75 Froehlich Farm
Woodbury, NY 11797
- Staten Island**
27 New Dorp Lane
Staten Island, NY 10306



- Manhattan**
225 E 70th Street
Suite 1E
New York, NY 10021
- Queens**
64-05 Yellowstone Blvd
CF104
Forest Hills, NY 11375
- Manhattan**
225 East 70th Street
New York, NY 10021
- Holbrook/ Ronkonkoma**
233 Union Ave
Suite 207
Holbrook, NY 11741
- Scarsdale**
495 Central Park Avenue
Suite 205
Scarsdale, NY 10583
- 5 Towns**
141 Washington Avenue
Cedarhurst, NY 11559
- Long Beach**
917 Beech Street
Long Beach, NY 11561
- Riverhead**
1228 E Main Street
Suite A
Riverhead, NY 11901
- Bronx**
226 West 238th Street
Bronx, NY 10463

Rozanolixizumab-noli (Rystiggo)

Provider Order Form

Date: _____

PATIENT INFORMATION		
Name:	DOB:	SEX: M <input type="checkbox"/> F <input type="checkbox"/>
ICD-10 code (required):	ICD-10 description:	
<input type="checkbox"/> NKDA Allergies:	Weight lbs/kg:	

REFERRAL STATUS
<input type="checkbox"/> New Referral <input type="checkbox"/> Referral Renewal <input type="checkbox"/> Medication/Order Change <input type="checkbox"/> Benefits Verification Only <input type="checkbox"/> Discontinuation Order

PHYSICIAN INFORMATION	
Referral Coordinator Name:	Referral Coordinator Email:
Ordering Provider:	Provider NPI:
Referring Practice Name:	Phone: _____ Fax: _____
Practice Address:	City: _____ State: _____ Zip Code: _____

SPECIAL INSTRUCTIONS

THERAPY ADMINISTRATION

- Rozanolixizumab-noli** (Rystiggo) in 0.9% sodium chloride
 - Dose: Less than 50kg: 420mg
 - 50kg to less than 100kg: 560mg
 - 100kg and above: 840mg
- Frequency: once weekly for six weeks (one treatment cycle)
- Route: subcutaneous infusion
- Select for additional treatment cycles.
_____ (Indicate number of cycles)
 - Subsequent cycles may require additional insurance authorization.
 - Treatment cycles will be given 63 days from the start of the previous treatment cycle.
- Administer as a subcutaneous infusion.
- Monitor patients during administration and for 15 minutes after completion for clinical signs and symptoms of hypersensitivity reactions. Order will expire one year from date signed.

NOTES/ADDITIONAL COMMENTS:

ORDERING PROVIDER

Signature X _____ Date _____

Provider _____ Phone _____ Fax _____